Clinical Endocrinology (1989), **31**, 769–774

Author Index to Volume 31

AAGAARD, M.T. see Schifter, S.
ADAMS, C.B.T. see Bevan, J.S.
ALBERTI, K.G.M.M. see Dagogo-Jack, S.
ALEXANDER, W.D. see Hedley, A.J.
ANGUS, B. see Taylor, R.
ARAGONA, A. see Cannavó, S.
ARMANINI, D. see Wehling, M.
ATHERDEN, S.M. see Whitworth, J.A.
ATKINSON, A.B. see McKnight, J.A.

BAGON, J. see Fuss, M.
BAIRD, D.T. see Lumsden, M.A.
BALLABIO, M., NICOLINI, U., JOWETT, T., RUIZ DE ELVIRA, M.C., EKINS, R.P. & RODECK, C.H. Maturation of thyroid function in normal human foetuses, 565
BALLABIO, M. see Bevan, J.S.
BAROUSSE, C. see Caron, Ph.
BEARDWELL, C.G. see Littley, M.D.
BEASTALL, G. see Farish, E.
BENGTSSON, B.-Å., BRUMMER, R.-J., EDÉN, S., BOSAEUS, I. & LINDSTEDT, G. Body composition in acromegaly: the effect of the treatment, 481
BENGTSSON, C. see Nyström, E.
BENNET, A. see Caron, Ph.
BERGANS, A. see Fuss, M.
BERGHOUT, A., WIERSINGA, W.M., DREXHAGE, H.A., VAN TROTSENBURG, P., SMITS, N.J., VAN DER GAAG, R.D. & TOUBER, J.L. The long-term outcome of thyroidectomy for sporadic non-toxic goitre, 193
BERGMANN, P. see Fuss, M.
BERTAGNA, X. see Vieau, D.
BESSER, G.M. see Howlett, T.A.
BEVAN, J.S., BURKE, C.W., ESIRI, M.M., ADAMS, C.B.T., BALLABIO, M., NISSIN, M. & FAGLIA, G. Studies of two thyrotrophin-secreting pituitary adenomas: evidence for dopamine receptor deficiency, 59
BEWSHER, P.D. see Hedley, A.J.
BHAMBHANI, Y. see McColl, E.M.
BIANCONI, L. see Coiro, V.
BIEGLMAYER, C.H. see Schober, E.
BIRKENHÄGER, J.C. see Van Hemert, A.M.
BLOOT, A.M. see Boyages, S.C.
BOLTON, N.J., TAPANAINEN, J., KOIVISTO, M. & VIHKO, R. Circulating sex hormone-binding globulin and testosterone in newborns and infants, 201
BOSAEUS, I. see Bengtsson, B.-Å.
BOYAGES, S.C., BLOOT, A.M., MABERLY, G.F., EASTMAN, C.J., MU, L., QIDONG, Q., DERUN, L., VAN DER GAAG, R.D. & DREXHAGE, H.A. Thyroid autoimmunity in endemic goitre caused by excessive iodine intake, 453
BRADWELL, A.R. see Haynes, I.G.
BROWN, R.C. see Compston, J.E.
BRUMMER, R.-J. see Bengtsson, B.-Å
BUCKLER, H.M., PHILLIPS, S.E., KOVACS, G.T., BURGER, H.G. & HEALY, D.L. GuRH agonist administration in polycystic ovary syndrome, 151
BURFORD, G. see Williams, I.A.
BURGER, H.G. see Buckler, H.M.
BURKE, C.W. see Bevan, J.S.
BURT, D. see Whitworth, J.A.

CAGNACCI, A., MELIS, G.B., PAOLETTI, A.M., GAMBACCIANI, M., SOLDANI, R., SPINETTI, A. & FIORETTI, P. Influence of oestradiol and progesterone on pulsatile LH secretion in post-menopausal women, 541
CAIAZZA, A. see Coiro, V.
CANNAVÓ, S., DE NATALE, R., PRINCI, P., LI CALZI, L., ARAGONA, A. & TRIMARCHI, F. Effectiveness of computer-assisted perimetry in the diagnosis of pituitary adenomas, 673
CANNELL, G.C. see Clouston, W.M.
CAPRETTI, L. see Coiro, V.
CARON, PH., BENNET, A., BAROUSSE, C., NISULA, B.C. & LOUVET, J.P. Effects of hyperthyroidism on binding proteins for steroid hormones, 219
CHARD, T. see Holly, J.M.P.
CHIODERA, P. see Coiro, V.
CIANFARANI, S. see Holly, J.M.P.
CLARK, J.D.A. see Wheatley, T.
CLARK, P.M.S. see Wheatley, T.
CLOUSTON, W.M., CANNELL, G.C., FRYAR, B.G., SEARLE, J.W., MARTIN, N.I. & MORTIMER, R.H. Virilizing adrenal adenoma in an adult with the Beckwith-Wiedemann syndrome: paradoxical response to dexamethasone, 467
COCLET, J., FOUREAU, F., KETELBANT, P., GALAND, P. & DUMONT, J.E. Cell population kinetics in dog and human adult thyroid, 655
CONNELL, J.M.C. see Fraser, R.
COGAN, E. see Fuss, M.
COIRO, V., CAPRETTI, L., SPERONI, G., VOLPI, R., FAGNONI, F., BIANCONI, L., SCHIANCHI, L., CAIAZZA, A. & CHIODERA, P. Muscarinic choli-

nergic, but not serotoninergic mediation of arginine vasopressin response to metoclopramide in man, 491
Corvilain, J. see Fuss, M.
Courtois, H. see Kuhn, J.M.
Compston, J.E., Silver, A.C., Croucher, P.I., Brown, R.C. & Woodhead, J.S. Elevated serum intact parathyroid hormone levels in elderly patients with hip fracture, 667
Craig, R.K. see Schifter, S.
Croucher, P.I. see Compston, J.E.
Croughs, R.J.M. see Teding van Berkhout, F.
Croxatto, H.B., Salvatierra, A.M., Croxatto, H.D. & Spitz, I.M. Variable effects of RU486 on endometrial maintenance in luteal phase extended by exogenous hCG, 15
Croxatto, H.D. see Croxatto, H.B.
Cullen, D.R. see Hague, R.V.
Cumming, D.C. see McColl, E.M.

Dagogo-Jack, S., Marshall, S.M., Kendall-Taylor, P. & Alberti, K.G.M.M. Urinary excretion of human epidermal growth factor in the various stages of diabetic nephropathy, 167
Daumer, C. see Wehling, M.
Davies, D. see Fraser, R.
Davies, T.F., Yang, C. & Platzer, M. The influence of antithyroid drugs and iodine on cell MHC class II antigen expression, 125
de Boer, H. see Roelfrema, F.
De Jong, F.H. see Van Hemert, A.M.
De Kretser, D.M. see Heseltine, D.
Delemarre-van de Wall, H.A. see Wennick, J.M.B.
Demacker, P.N.M. see Mol, M.J.T.M.
de Natale, R. see Cannavó, S.
Drexhage, H.A. see Berghout, A.
Drexhage, H.A. see Boyages, S.C.
Drexhage, H.A. see Teding van Berkhout, F.
Dumont, J.E. see Coclet, J.
Dunger, D.B. see Holly, J.M.P.
Dunlop, W. see Taylor, R.

Eastman, C.J. see Boyages, S.C.
Edén, S. see Bengtsson, B.-Å.
Edwards, C.R.W. see Whitworth, J.A.
Ekins, R.P. see Ballabio, M.
Endo, T. see Saito, T.
Erster, B. see Silbergeld, A.
Esiri, M.M. see Bevan, J.S.
Eto, S. see Zeki, K.
Evans, D.B. see Wheatley, T.

Faglia, G. see Bevan, J.S.
Fagnoni, F. see Coiro, V.
Farish, E., Hart, D.M., Gray, C.E., Beastall, G., Fletcher, C.D. & Lindsay, R. Effects of treatment with oestradiol/levonorgestrel on bone, lipoproteins and hormone status in postmenopausal women, 607
Farmer, M.J. see Haynes, I.G.
Fioretti, P. see Cagnacci, A.
Fitch, N.J. see Haynes, I.G.
Fletcher, C.D. see Farish, E.
Foureau, F. see Coclet, J.
Franks, S. Polycystic ovary syndrome: a changing perspective, 87
Franks, S. see Kiddy, D.S.
Fraser, R., Davies, D.D. & Connell, J.M.C. Review: Hormones and hypertension, 701
Frisch, H. see Schober, E.
Frölich, M. see Looij, B.J.
Frölich, M. see Roelfsema, F.
Fryar, B.G. see Clouston, W.M.
Fujihira, T. see Zeki, K.
Fujii, S. see Kasagi, K.
Fuss, M., Bergmann, P., Bergans, A., Bagon, J., Cogan, E., Pepersack, T., Van Gossum, M. & Corvilain, J. Correction of low circulating levels of 1,25-dihydroxyvitamin D by 25-hydroxyvitamin D during reversal of hypomagnesaemia, 31

Galand, P. see Coclet, J.
Gambacciani, M. see Cagnacci, A.
Gibson, S. see Littley, M.D.
Girard, F. see Vieau, D.
Glaser, B., Landau, H., Smilovici, A. & Nesher, R. Persistent hyperinsulinaemic hypoglycaemia of infancy: long-term treatment with the somatostatin analogue Sandostatin, 71
Goltermann, N. see Schifter, S.
Gomes, P. see McColl, E.M.
Goverde, H.J.M., Pesman, G.J. & Smals, A.G.H. The bioactivity of immunoreactive adrenocorticotrophin in human blood is dependent on the secretory state of the pituitary gland, 255
Gray, C.E. see Farish, E.

Hadden, D.R. see McKnight, J.A.
Hague, R.V., May, W. & Cullen, D.R. Hepatic microsomal enzyme induction and adrenal crisis due to *o,p'*DDD therapy for metastatic adrenocortical carcinoma, 51
Hamilton-Fairley, D. see Kiddy, D.S.
Hart, D.M. see Farish, E.
Hashiguchi, T., Higuchi, K., Ohashi, M., Takayanagi, R., Matsuo, H. & Nawata, H. Effect of porcine brain natriuretic peptide (pBNP) on human adrenocortical steroidogenesis, 623
Hatabu, H. see Kasagi, K.

HAYNES, I.G., LOCKETT, S.J., FARMER, M.J., FITCH, N.J., BRADWELL, A.R., SHEPPARD, M.C. & RAMSDEN, D.B. Is oleic acid the thyroxine binding inhibitor in the serum of ill patients?, 25
HEALY, D.L. see Buckler, H.M.
HEDLEY, A.J., YOUNG, R.E., JONES, S.J., ALEXANDER, W.D., BEWSHER, P.D. & SCOTTISH AUTOMATED FOLLOW-UP REGISTER GROUP. Antithyroid drugs in the treatment of Graves' disease: long-term follow-up of 434 patients, 209
HERMUS, A.R.M.M. see Mol, M.J.T.M.
HESELTINE, D., WHITE, M.C., KENDALL-TAYLOR, P., DE KRETSER, D.M. & KELLY, W. Testicular enlargement and elevated serum inhibin concentrations in patients with pituitary macroadenomas secreting follicle stimulating hormone, 411
HIDAKA, A. see Kasagi, K.
HIGUCHI, K. see Hashiguchi, T.
HOFLAND, L. see Lamberts, S.W.J.
HOHNLOSER, J., WERDER, K. VON & MÜLLER, O.A. Acute dexamethasone suppression of ACTH secretion stimulated by human corticotrophin releasing hormone, AVP and hypoglycaemia, 175
HOLDER, R. see Wheatley, T.
HOLLY, J.M.P., SMITH, C.P., DUNGER, D.B., HOWELL, R.J.S., CHARD, T., PERRY, L.A., SAVAGE, M.O., CIANFARANI, S., REES, L.H. & WASS, J.A.H. Relationship between the fall in sex hormone binding globulin and insulin-like growth factor binding protein-I. A synchronized approach to pubertal development?, 277
HORNE, C.H.W. see Taylor, R.
HOWELL, R.J.S. see Holly, J.M.P.
HOWLETT, T.A., PLOWMAN, P.N., WASS, J.A.H., REES, L.H., JONES, A.E. & BESSER, G.M. Megavoltage pituitary irradiation in the management of Cushing's disease and Nelson's syndrome: long-term follow-up, 309
HURLEY, A.M. see Newman, C.B.

IIDA, Y. see Kasagi, K.
ISHIKAWA, N. see Momotani, N.
ITO, K. see Momotani, N.

JAMES, V.H.T. see Kiddy, D.S.
JAMES, V.H.T. see Reed, M.J.
JOHANNSEN, L. see Schifter, S.
JONES, A.E. see Howlett, T.A.
JONES, S.J. see Hedley, A.J.
JOWETT, T. see Ballabio, M.

KANATANI, M. see Zeki, K.
KASAGI, K., HIDAKA, A., HATABU, H., TOKUDA, Y., MISAKI, T., IIDA, Y., YOSHIDA, M., FUJII, S., TAII, S., TAMAI, H. & KONISHI, J. Stimulation of cyclic AMP production in FRTL-5 thyroid cells by crude immunoglobulin fractions of serum from pregnant women, 267
KELLY, W. see Heseltine, D.
KENDALL-TAYLOR, P. Current therapy: The management of Graves' ophthalmopathy, 747
KENDALL-TAYLOR, P. see Dagogo-Jack, S.
KENDALL-TAYLOR, P. see Heseltine, D.
KENNEDY, L. see McKnight, J.A.
KERET, R. see Silbergeld, A.
KETELBANT, P. see Coclet, J.
KIDDY, D.S., HAMILTON-FAIRLEY, D., SEPPALA, M., KOISTINEN, R., JAMES, V.H.T., REED, M.J. & FRANKS, S. Diet-induced changes in sex hormone-binding globulin and free testosterone in women with normal or polycystic ovaries: correlation with serum insulin and insulin-like growth factor-1, 757
KLEINBERG, D.L. see Newman, C.B.
KOISTINEN, R. see Kiddy, D.S.
KOIVISTO, M. see Bolton, N.J.
KONISHI, J., see Kasagi, K.
KOVACS, G.T. see Buckler, H.M.
KUHN, J.M., REZNIK, Y., MAHOUDEAU, J.A., COURTOIS, H., LEFEBVRE, H., WOLF, L.M. & LUTON, J.B. hCG test in gynaecomastia: a further study, 581
KUHNLE, U. see Wehling, M.

LAMBERTS, S.W.J., VAN KOETSVELD, P. & HOFLAND, L. A close correlation between the inhibitory effects of insulin-like growth factor-1 and SMS 201-995 on growth hormone release by acromegalic pituitary tumours *in vitro* and *in vivo*, 401
LANDAU, H. see Glaser, B.
LARON, Z. see Silbergeld, A.
LAZAR, L. see Silbergeld, A.
LEFEBVRE, H. see Kuhn, J.M.
LESLIE, P.J. see Wu, P.S.-C.
LI CALZI, L. see Cannavó, S.
LINDSAY, R. see Farish, E.
LINDSTEDT, G. see Bengtsson, B.-Å.
LINDSTEDT, G. see Nyström, E.
LINTON, E.A. & LOWRY, P.J. Corticotrophin releasing factor in man and its measurement: a review, 225
LITTLEY, M.D., GIBSON, S., WHITE, A. & SHALET, S.M. Comparison of the ACTH and cortisol responses to provocative testing with glucagon and insulin hypoglycaemia in normal subjects, 527
LITTLEY, M.D., SHALET, S.M., BEARDWELL, C.G., ROBINSON, E.L. & SUTTON, M.L. Radiation-induced hypopituitarism is dose-dependent, 363
LIU, J.H. see Yeh, J.
LOCKETT, S.J. see Haynes, I.G.

Louvet, J.P. see Caron, Ph.
Lowry, P.J. see Linton, E.A.
Lundberg, P.-A. see Nyström, E.
Loou, B.J., Roelfsema, F. & Frölich, M. The effect of calcitonin on growth hormone secretion in acromegaly, 573
Lumsden, M.A., West, C.P. & Baird, D.T. Tamoxifen prolongs luteal phase in premenopausal women but has no effect on the size of uterine fibroids, 335
Luton, J.P. see Kuhn, J.M.
Luton, J.P. see Vieau, D.

Maberly, G.F. see Boyages, S.C.
Mahoudeau, J.A. see Kuhn, J.M.
Marshall, S.M. see Dagogo-Jack, S.
Martin, N.I. see Clouston, W.M.
Martin, T.J. & Suva, L.J. Parathyroid-related protein in hypercalcaemia of malignancy, 631
Massias, J.-F. see Vieau, D.
Matsuo, H. see Hashiguchi, T.
May, W. see Hague, R.V.
McCance, D.R. see McKnight, J.A.
McColl, E.M., Wheeler, G.D., Gomes, P., Bhambhani, Y. & Cumming, D.C. The effects of acute exercise on pulsatile LH release in high-mileage male runners, 617
McKnight, J.A., McCance, D.R., Hadden, D.R., Kennedy, L., Roberts, G., Sheridan, B. & Atkinson, A.B. Basal and saline-stimulated levels of plasma atrial natriuretic factor in acromegaly, 431
McLaren, K.M. see Wu, P.S.-C.
Melis, G.B. see Cagnacci, A.
Misaki, T. see Kasagi, K.
Mol, M.J.T.M., Stalenhoef, A.F.H., Stuyt, P.M.J., Hermus, A.R.M.M., Demacker, P.N.M. & Van't Laar, A. Effects of inhibition of cholesterol synthesis by simvastatin on the production of adrenocortical steroid hormones and ACTH, 679
Momotani, N., Yamashita, R., Yoshimoto, M., Noh, J., Ishikawa, N. & Ito, K. Recovery from foetal hypothyroidism: evidence for the safety of breast-feeding while taking propylthiouracil, 591
Mortimer, R.H. see Clouston, W.M.
Mu, L. see Boyages, S.C.
Müller, O.A. see Hohnloser, J.
Nawata, H. see Hashiguchi, T.
Nesher, R. see Glaser, B.
Newman, C.B., Hurley, A.M. & Kleinberg, D.L. Effect of CV205-502 in hyperprolactinaemic patients intolerant of bromocriptine, 391
Nicolini, U. see Ballabio, M.
Nissin, M. see Bevan, J.S.
Nisula, B.C. see Caron, Ph.
Noh, J. see Momotani, N.
Nyström, E., Lundberg, P.-A., Petersen, K., Bengtsson, C. & Lindstedt, G. Evidence for a slow tissue adaptation to circulating thyroxine in patients with chronic L-thyroxine treatment, 143

Ohashi, M. see Hashiguchi, T.
Onaya, T. see Saito, T.

Paoletti, A.M. see Cagnacci, A.
Parkes, H.C. see Schifter, S.
Perry, L.A. see Holly, J.M.P.
Pepersack, T. see Fuss, M.
Pesman, G.J. see Goverde, H.J.M.
Petersen, K. see Nyström, E.
Phillips, S.E. see Buckler, H.M.
Platzer, M. see Davies, T.F.
Plowman, P.N. see Howlett, T.A.
Princi, P. see Cannavó, S.

Qidong, Q. see Boyages, S.C.

Raggatt, P.R. see Wheatley, T.
Ramsden, D.B. see Haynes, I.G.
Reed, M.J. see Kiddy, D.S.
Rebar, R.W. see Yeh, J.
Reed, M.J. & James, V.H.T. Regulation of steroid synthesis and metabolism by growth factors, 511
Rees, L.H. see Holly, J.M.P.
Rees, L.H. see Howlett, T.A.
Reznik, Y. see Kuhn, J.M.
Roberts, G. see McKnight, J.A.
Robinson, E.L. see Littley, M.D.
Rodeck, C.H. see Ballabio, M.
Roelfsema, F. see Looij, B.J.
Roelfsema, F., Frölich, M. & de Boer, H. Prolactin and luteinizing hormone profiles of cured acromegalic subjects, 439
Ruiz de Elvira, M.C. see Ballabio, M.

Saito, T., Shimura, H., Endo, T. & Onaya, T. Enhancement of the activity of thyroid-stimulating antibodies by anti-human IgG antibodies *in vitro*, 325
Salvatierra, A.M. see Croxatto, H.B.
Savage, M.O. see Holly, J.M.P.
Schianchi, L. see Coiro, V.
Schifter, S., Johannsen, L., Aagaard, M.T., Goltermann, N., Parkes, H.C. & Craig, R.K. Elevated serum level of calcitonin gene-related peptide (CGRP) but no evidence for CGRP gene expression in non-small cell lung carcinomas, 137
Schober, E., Waldhauser, F., Frisch, H., Schuster, E. & Bieglmayer, Ch. Melantonin secre-

tion in Turner's syndrome: lack of effect of oestrogen administration, 475
SCHOEMAKER, H. see Wennink, J.M.B.
SCHOEMAKER, J. see Wennink, J.M.B.
SCHOEMAKER, R. see Wennink, J.M.B.
SCHUSTER, E. see Schober, E.
SCOTTISH AUTOMATED FOLLOW-UP REGISTER GROUP see Hedley, A.J.
SEARLE, J.W. see Clouston, W.M.
SEPPALA, M. see Kiddy, D.S.
SHALET, S.M. Treatment of constitutional delay in growth and puberty (CDGP), 81
SHALET, S.M. see Littley, M.D.
SHAW, R.W. see Williams, I.A.
SHEPPARD, M.C. see Haynes, I.G.
SHERIDAN, B. see McKnight, J.A.
SHIMURA, H. see Saito, T.
SHIRAKAWA, F. see Zeki, K.
SILBERGELD, A., LAZAR, L., ERSTER, B., KERET, R., TEPPER, R. & LARON, Z. Serum growth hormone binding activity in healthy neonates, children and young adults: correlation with age, height and weight, 295
SILVER, A.C. see Compston, J.E.
SMALS, A.G.H. see Goverde, H.J.M.
SMILOVICI, A. see Glaser, B.
SMITH, C.P. see Holly, J.M.P.
SMITH, N.M. see Taylor, R.
SOLDANI, R. see Cagnacci, A.
SPERONI, G. see Coiro, V.
SPINETTI, A. see Cagnacci, A.
SPITZ, I.M. see Croxatto, H.B.
STALENHOEF, A.F.H. see Mol, M.J.T.M.
STEELE, P.A. see Weiss, T.J.
STEWART, P.M. see Whitworth, J.A.
SUZUKI, H. see Zeki, K.
SUTTON, M.L. see Littley, M.D.
STUYT, P.M. see Mol, M.J.T.M.
SUVA, L.J. see Martin, T.J.

TAII, S. see Kasagi, K.
TAKAYANAGI, R. see Hashiguchi, T.
TAMAI, H. see Kasagi, K.
TAPANAINEN, J. see Bolton, N.J.
TAYLOR, R., SMITH, N.M., ANGUS, B., HORNE, C.H.W. & DUNLOP, W. Return of fertility after twelve years of autoimmune ovarian failure, 305
TEDING VAN BERKHOUT, F., CROUGHS, R.J.M., WULFFRAAT, N.M. & DREXHAGE, H.A. Familial Cushing's syndrome due to nodular adrenocorticol dysplasia is an inherited disease of immunological origin, 185
TEPPER, R. see Silbergeld, A.
TOFT, A.D. see Wu, P.S.-C.
TOKUDA, Y. see Kasagi, K.
TOUBER, J.L. see Berghout, A.
TRIMARCHI, F. see Cannavó, S.

UMAPATHYSIVAM, K. see Weiss, T.J.

VALKENBURG, H.A. see Van Hemert, A.M.
VANDENBROUCKE, J.P. see Van Hemert, A.M.
VAN DER GAAG, R.D. see Berghout, A.
VAN DER GAAG, R.D. see Boyages, S.C.
VAN DROOGENBROECK, J. & VERMEULEN, A. Plasma androstanediol glucuronide levels during pregnancy, 425
VAN GOSSUM, M. see Fuss, M.
VAN HEMERT, A.M., BIRKENHÄGER, J.C., DE JONG, F.H., VANDENBROUCKE, J.P. & VALKENBURG, H.A. Sex hormone binding globulin in postmenopausal women: a predictor of osteoporosis superior to endogenous oestrogens, 499
VAN KOETSVELD, P. see Lamberts, S.W.J.
VAN'T LAAR, A. see Mol, M.J.T.M.
VAN TROTSENBURG, P. see Berghout, A.
VERMEULEN, A. see Van Droogenbroeck, J.
VIEAU, D., MASSIAS, J.-F., GIRARD, F., LUTON, J.-P. & BERTAGNA, X. Corticotrophin-like intermediary lobe peptide as a marker of alternate pro-opiomelanocortin processing in ACTH-producing non-pituitary tumours, 691
VIHKO, R. see Bolton, N.J.
VOLPI, R. see Coiro, V.

WALDHAUSER, F. see Schober, E.
WASS, J.A.H. see Holly, J.M.P.
WASS, J.A.H. see Howlett, T.A.
WEHLING, M., KUHNLE, U., DAUMER, C. & ARMANINI, D. Inheritance of mineralocorticoid effector abnormalities of human mononuclear leucocytes in families with pseudohypoaldosteronism, 597
WEISS, T.J., STEELE, P.A. & UMAPATHYSIVAM, K. Perifusion of human granulosa-luteal cells: response to LH stimulation, 285
WENNINK, J.M.B., DELEMARRE-VAN DE WAAL, H.A., SCHOEMAKER, R., SCHOEMAKER, H. & SCHOEMAKER, J. Luteinizing hormone and follicle stimulating hormone secreting patterns in boys throughout puberty measured using highly sensitive immunoradiometric assays, 551
WERDER, K. VON see Hohnloser, J.
WEST, C.P. see Lumsden, M.A.
WHEATLEY, T., CLARK, P.M.S., CLARK, J.D.A., HOLDER, R., RAGGATT, P.R. & EVANS, D.B. Abnormalities of thyrotrophin (TSH) evening rise and pulsatile release in haemodialysis patients: evidence for hypothalamic–pituitary changes in chronic renal failure, 39
WHEELER, G.D. see McColl, E.M.
WHITE, A. see Littley, M.D.

WHITE, M.C. see Heseltine, D.
WHITEWORTH, J.A., STEWART, P.M., BURT, D., ATHERDEN, S.M. & EDWARDS, C.R.W. The kidney is the major site of cortisone production in man, 355
WIERSINGA, W.M. see Berghout, A.
WILLIAMS, I.A., SHAW, R.W. & BURFORD, G. An attempt to alter the pathophysiology of polycystic ovary syndrome using a gonadotrophin hormone releasing hormone agonist—Nafarelin, 345
WOODHEAD, J.S. see Compston, J.E.
WOLF, L.M. see Kuhn, J.M.
WU, P.S.-C., LESLIE, P.J., MCLAREN, K.M. & TOFT, A.D. Diffuse sclerosing papillary carcinoma of thyroid: a wolf in sheep's clothing, 535
WULFFRAAT, N.M. see Teding van Berkhout, F.
YAMASHITA, R. see Momotani, N.
YANG, C. see Davies, T.F.
YEH, J., REBAR, R.W., LIU, J.H. & YEN, S.S.C. Pituitary function in isolated gonadotrophin deficiency, 375
YEN, S.S.C. see Yeh, J.
YOSHIDA, M. see Kasagi, K.
YOSHIMOTO, M. see Momotani, N.
YOUNG, R.E. see Hedley, A.J.

ZEKI, K., SHIRAKAWA, F., FUJIHIRA, T., KANATANI, M., SUZUKI, H. & ETO, S. Circulating monocyte (macrophage)-specific antibodies in patients with autoimmune thyroid diseases, 1

Clinical Endocrinology (1989), **31**, 775–778

Subject Index to Volume 31

Acromegaly
effects of IGF-1 and SMS201-995 on GH release by pituitary tumours in, 401
atrial natriuretic factor in, 431
LH and PRL in cured, 439
effect of treatment on body composition in, 481
effect of calcitonin on GH secretion in, 573
ACTH
acute dexamethasone suppression stimulated by hCRH, AVP and hypoglycaemia, 175
immunoreactive, bioactivity dependent on secretory state of pituitary, 255
and corticol responses to glucagon and insulin hypoglycaemia testing, 527
production and inhibition of cholesterol synthesis by simvastatin, 679
production, corticotrophin-like peptide as marker in pro-opiomelanocortin processing, 691
Adrenal crisis
due to mitotane for metastatic adrenocortical carcinoma, 51
Adrenocortical carcinoma
metastatic, hepatic microsomal enzyme induction and adrenal crisis due to mitotane therapy, 51
Adrenocortical dysplasia
Cushing's syndrome due to, of immunological origin, 185
Adrenocortical steroidogenesis
effect of porcine brain natriuretic peptide on, 623
effect of inhibition of cholesterol synthesis by simvastatin, 679
cAMP
stimulation of production in thyroid cells in immunoglobulin from pregnant women, 267
Androstanediol glucuronide
plasma levels in pregnancy, 425
Antibodies
monocyte-specific in autoimmune thyroid disease, 1
thyroid-stimulating and anti-human IgG, 325
Antithyroid drugs
and iodine, influence on MHC antigen expression, 125
in treatment of hyperthyroidism in Graves' disease, 209
Atrial natriuretic factor
in acromegaly, 431
Autoimmune thyroid disease
circulating monocyte-specific antibodies in, 1
AVP
dexamethasone suppression of ACTH secretion stimulated by, 175
response to metoclopramide, 491

Beckwith-Wiedemann syndrome
viralizing adrenal adenoma in and response to dexamethasone, 467
Bone
SHBG predictor of osteoporosis in women, 499
effect of oestradiol/levonorgestrel on in women, 607
hip fracture and parathyroid hormone levels, 667

Calcitonin
effect of GH secretion in acromegaly, 573
Calcitonin gene-related peptide
elevated serum level but no gene expression in lung carcinomas, 137
Cholesterol
synthesis, inhibition by simvastatin, adrenocortical steroid hormones and ACTH, 679
Computer-assisted perimetry
in diagnosis of pituitary adenomas, 673
Constitutional delay in growth and puberty
current therapy, 81
Corticosteroid binding globulin
effects of hyperthyroidism on, 219
Corticotrophin releasing hormone
dexamethasone suppression of ACTH secretion stimulated by, 175
Corticotrophin-like peptide
as marker of alternate pro-opiomelanocortin processing, 691
Cortisol
and ACTH responses to glucagon and insulin hypoglycaemia testing, 527
Cortisone
production in kidney, 355
CRF
in man and its measurement, 225
Cushing's disease
irradiation of pituitary in, 309
Cushing's syndrome
familial, due to nodular adrenocortical dysplasia, of immunological origin, 185
CV205-502
in hyperprolactinaemic patients, 391

Diabetic nephropathy
urinary excretion of human epidermal growth factor in, 167

Dopamine receptor
deficiency in thyrotrophin-secreting pituitary adenomas, 59

Endometrial maintenance
effects of RU486 extended by hCG, 15
Epidermal growth factor
urinary excretion in diabetic nephropathy, 167

Foetus
human, maturation of thyroid, 565
recovery from hypothyroidism, breast-feeding and propylthiouracil, 591
FSH
and LH in boys, sensitive assay, 551

Glucagon
stimulation testing, ACTH and cortisol responses, 527
Goitre
non-toxic, outcome of thyroidectomy, 193
caused by iodine, and thyroid autoimmunity, 453
Gonadotrophin
isolated deficiency and pituitary function, 375
Granulosa-luteal cells
response to LH stimulation, 285
Graves' disease
antithyroid drugs in treatment of hyperthyroidism in, 209
Graves' ophthalmopathy
management of, 747
Growth
and puberty, constitutional delay in, current therapy, 81
Growth factors
regulation of synthesis and metabolism of steroids by, 511
Growth hormone binding hormone
correlation with age, height and weight, 295
Gynaecomastia
hCG test in, 581

hCG
extended effects of RU486 on endometrial maintenance, 15
and thyroid stimulation, 267
test in gynaecomastia, 581
Hepatic microsomal enzyme induction
due to mitotane for metastatic adrenocortical carcinoma, 51
Hip
fracture and parathyroid hormone levels, 667
Hypercalcaemia
of malignancy, parathyroid-related protein in, 631
Hyperinsulinaemic hypoglycaemia
of infancy: treatment with Sandostatin, 71
Hyperprolactinaemia
effect of CV205-502, 391
Hypertension
and hormones, 701
Hyperthyroidism
of Graves' disease, antithyroid drugs in treatment of, 209
effects on binding proteins for steroid hormones, 219
Hypoglycaemia
dexamethasone suppression of ACTH secretion stimulated by, 175
Hypomagnesaemia
correction of 1,25-dihydroxy by 25-hydroxy-vitamin D, 31
Hypopituitarism
radiation-induced is dose-dependent, 363
Hypothalamic–pituitary changes
in renal failure, TSH abnormalities evidence for, 39
Hypothyroidism,
foetal, propylthiouracil and breast-feeding, 591

IGF-1
and SMS201-995 effects on GH release by acromegalic pituitary tumours, 401
Inhibin
concentrations and testicular enlargement in patients with pituitary macroadenomas secreting FSH, 411
Insulin
correlation with diet-induced changes in SHBG and testosterone in normal and PCO women, 757
Insulin-like growth factor-1
correlation with diet-induced changes in SHBG and testosterone in normal and PCO women, 757
Insulin-like growth-factor binding protein-I
relation with pubertal fall in SHBG, 277
Iodine
and antithyroid drugs, influence on MHC antigen expression, 125
intake-caused goitre and thyroid autoimmunity, 453
Isolated gonadotrophin deficiency
pituitary function in, 375

Kidney
site of cortisone production, 355

Leucocytes
mononuclear, mineralocorticoid effector abnormalities in families with pseudohypoaldosteronism, 597
Levonorgestrel
and oestradiol, effect on bone, lipoproteins and hormones in women, 607

LH
stimulation of granulosa-luteal cells, 285
and PRL in cured acromegalics, 439
effect of oestradiol and progesterone on pulsatile secretion, 541
and FSH in boys, sensitive assay, 551
pulsatile release in male runners, 617
Lung carcinomas
no evidence for CGRP gene expression in, 137

Melatonin
secretion in Turner's syndrome, lack of effect of oestrogen, 475
Men
testicular enlargement and elevated inhibin in patients with pituitary macroadenomas secreting FSH, 411
AVP response to metoclopramide, 491
sensitive assay for LH and FSH in boys, 551
hCG test in gynaecomastia, 581
effects of exercise on pulsatile LH release, 617
Metoclopramide
mediation of AVP response, 491
MHC class II antigen
influence of iodine and antithyroid drugs on expression, 125
Mineralocorticoid effector
abnormalities of leucocytes in families with pseudohypoaldosteronism, 597
Mitotane
hepatic microsomal enzyme induction and adrenal crisis, 51
Monocyte-specific antibodies
in autoimmune thyroid disease, 1

Nafarelin
GnRH agonist, in PCOS, 345
Nelson's syndrome
irradiation of pituitary in, 309

Oestradiol
and progesterone, influence on pulsatile LH, 541
and levonorgestrel, effects on bone, lipoproteins and hormones in women, 607
Oestrogen
lack of effect on melatonin secretion in Turner's syndrome, 475
Oleic acid
thyroxine binding inhibitor?, 25
Ophthalmopathy
Graves', management, 747
Osteoporosis
SHBG a predictor in postmenopausal women, 499
Ovarian failure
autoimmune, and return of fertility, 305

Parathyroid hormone
levels and hip fracture, 667
Parathyroid-related protein
in hypercalcaemia of malignancy, 631
PCOS
review, 87
GnRH agonist in, 151
GnRH agonist Nafarelin in, 345
Perimetry
computer assisted of pituitary adenomas, 673
Pituitary
adenomas, thyrotrophin-secreting: dopamine receptor deficiency, 59
secretory state of and bioactivity of immunoreactive ACTH, 255
irradiation in Cushing's disease and Nelson's syndrome, 309
function in isolated gonadotrophin deficiency, 375
tumours in acromegaly, effect of IGF-1 and SMS 201-995 on release of GH by, 401
macroadenomas secreting FSH, and testicular enlargement, 411
adenomas, computer-assisted perimetry diagnosis, 673
Polycystic ovary syndrome
review, 87
GnRH agonist in, 151
diet-induced changes in SHBG and testosterone, correlation with insulin and insulin-like growth factor-1, 757
Porcine brain natriuretic peptide
effect on human adrenocortical steroidogenesis, 623
Pregnancy
plasma androstanediol glucuronide, 425
PRL
and LH in cured acromegalics, 439
Progesterone
and oestradiol, influence on pulsatile LH secretion, 541
Pro-opiomelanocortin
corticotrophin-like peptide as marker in alternate processing, 691
Propylthiouracil
breast-feeding and foetal hypothyroidism, 591
Pseudohypoaldosteronism
inheritance of mineralocorticoid abnormalities, 597
Puberty
and growth, constitutional delay in, current therapy, 81

Radiation-induced hypopituitarism
is dose-dependent, 363
Renal failure

TSH abnormalities evidence for hypothalamic–pituitary changes in, 39
RU 486
effects on endometrial maintenance extended by hCG, 15

Sandostatin
treatment of persistent hyperinsulinaemic hypoglycaemia of infancy, 71
SHBG
and testosterone in newborns and infants, 201
effects of hyperthyroidism on, 219
fall in puberty and correlation with insulin-like growth factor binding protein-I, 277
in women, predictor of osteoporosis, 499
diet-induced changes in normal and PCO, correlation with insulin and insulin-like growth factor 1, 757
SMS201-995
and IGF-1 effects on GH release by acromegalic pituitary tumours, 401
Somatostatin analogue
treatment of persistent hyperinsulinaemic hypoglycaemia of infancy, 71
Steroid
synthesis and metabolism, regulation by growth factors, 511
Steroidogenesis, effect of porcine brain natriuretic peptide, 623

Tamoxifen
prolongs luteal phase, no effect on uterine fibroids, 335
Testicular enlargement
and elevated serum inhibin in patients with pituitary macroadenomas secreting FSH, 411
Testosterone
and SHBG in newborns and infants, 201
diet-induced changes in normal and PCO, correlation with insulin and insulin-like growth factor-1, 757
Thyroid
disease, autoimmune, monocyte-specific antibodies in, 1
expression of MHC class II antigen in, 125
autoimmunity in endemic goitre caused by iodine, 453
diffuse sclerosing papillary carcinoma, 535
function, maturation in human foetus, 565
cell population kinetics in, 655
Thyroid-stimulating antibodies
activity and anti-human IgG antibodies, 325
Thyroidectomy
for non-toxic goitre, outcome, 193
Thyroxine
slow tissue adaptation to, 143
Thyroxine binding inhibitor
oleic acid?, 25
TSH
abnormalities in haemodialysis: evidence for hypothalamic–pituitary changes in renal failure, 39
-secreting pituitary adenomas: dopamine receptor deficiency, 59
Turner's syndrome
lack of effect of oestrogen on melatonin in, 475

Vitamin D
correction of 1,25-dihydroxy by 25-hydroxy in hypomagnesaemia, 31

Women
PCOS review, 87
GnRH agonist in PCOS, 151
return of fertility in after autoimmune ovarian failure, 305
tamoxifen prolongs luteal phase, no effect on uterine fibroids, 335
GnRH agonist Nafarelin in, 345
plasma androstanediol glucuronide during pregnancy, 425
viralizing adrenal adenoma, Beckwith-Wiedemann and response to dexamethasone, 467
SHBG predictor of osteoporosis in, 499
influence of oestradiol and progesterone on pulsatile LH secretion in postmenopausal, 541
effect of oestradiol/levonorgestrel on bone, lipoproteins and hormones, 607
diet-induced changes in SHBG and testosterone in normal and PCO, correlation with insulin and insulin-like growth factor-1, 757